

Garrido-Pérez, E. I. Supplementary material to the article "Salsa with coconut: challenges for Conservation Biology, food emphasis, ad Ethno-Ecology of Afro-Caribbean dance music ". Journal: *Revista Ambiente e Sociedade*.

Artículo: Salsa with coconut: challenges for Conservation Biology, food emphasis, ad Ethno-Ecology of Afro-Caribbean dance music.

Author: Edgardo I. Garrido-Pérez.

Reference: to be completed. Journal: *Revista Ambiente e Sociedade*.

Explanation: Mentions to flora and fauna species as well as landscape-and climate elements and other ecological aspects were surveyed in a sample of N=1200 Afro-Caribbean songs. Evocations to the just mentioned elements appeared in n=207 songs. The following is the list of common and scientific names of plants and animals evocated in the songs.

Taxonomic groups of plants and animals mentioned in n=207 Afro-Caribbean songs.

Common name (Spanish and English)	Scientific name	Family
Aguacate (Avocado)	<i>Persea americana</i> (Mill.)	Lauraceae
Ají (chilil)	<i>Capsicum sp</i>	Solanaceae
Anís (anise)	<i>Pimpinella anisum</i> L.	Apiaceae
Avena (oats)	<i>Avena sativa</i> L.	Poaceae
Batata (ipomoea)	<i>Ipomoea batatas</i> L.	Convolvulaceae
Berenjena (eggfruit)	<i>Solanum melongena</i> L.	Solanaceae
Berro (watercress)	<i>Nasturium officinale</i> W.T. Aiton	Brassicaceae

Garrido-Pérez, E. I. Supplementary material to the article "Salsa with coconut: challenges for Conservation Biology, food emphasis, ad Ethno-Ecology of Afro-Caribbean dance music ". Journal: Revista Ambiente e Sociedade.

Café (coffee)	<i>Coffea arabica</i> L.	Rubiaceae
Calabaza (pumpkin)	<i>Cucurbita maxima</i> Duchesne	Cucurbitaceae
Camarón (shrimp)	different species (e.g. <i>Pennaeus venamei</i> Dana.)	Infraorden Caridea
Canela (cinammon)	<i>Cinnamomum verum</i> J. Presl	Lauraceae
Castañas (chestnuts)	<i>Castanea sativa</i> Mill.	Fagaceae
Cebada (barley)	<i>Hordeum vulgare</i> L.	Poaceae
Cerdo (pig)	<i>Sus scrofa</i> Linneo ssp domestica, 1758	Suidae
Chivo (goat)	<i>Capra aegagrus</i> Linneo, 1758	Bovidae
Coco (coconut)	<i>Cocos nucifera</i> L.	Arecaceae
frijoles, habichuelas (beans)	<i>Phaseolus vulgaris</i> L.	Fabaceae
fruta de pan (breadfruit)	<i>Artocarpus altilis</i> (Parkinson) Fosberg	Moraceae

Garrido-Pérez, E. I. Supplementary material to the article "Salsa with coconut: challenges for Conservation Biology, food emphasis, ad Ethno-Ecology of Afro-Caribbean dance music ". Journal: Revista Ambiente e Sociedade.

Guandule (tree-beans)	<i>Cajanus cajan</i> (L.) Huth	Fabaceae
Guayaba (guayaba)	<i>Psidium spp.</i>	Martaceae
Jutía (jutia)	<i>Capromys pilorides</i> Smith, 1842	Capromyidae
Langostino (langostine)	different species (e.g. <i>Penaeus monodon</i> Bate, 1888)	Infraorden Caridea
Lechuga (cabbage)	<i>Lactuca sativa</i> L.	Asteraceae
Limón (lemmon)	<i>Citrus x limon</i> (L.)	Rutaceae
Maíz (corn)	<i>Zea mays</i> L.	Poaceae
Malanga (cocoyam)	<i>Xanthosoma spp.</i> ; <i>Colocasia spp</i>	Araceae
Mango (mango)	<i>Mangifera indica</i> L.	Anacardiaceae
Maní (peanut)	<i>Arachis hypgaea</i> L.	Fabaceae
Mapuey (mapuey)	<i>Dioscorea trifida</i> L.f. 1781	Dioscoreaceae
melao, azúcar, caña (sugar cane)	<i>Saccharum officinarum</i> L.	Poaceae
Melocotón (peach)	<i>Prunus persica</i> L.	Rosaceae
Melón (mellon)	<i>Cucumis melo</i> L.	Cucurbitaceae

Garrido-Pérez, E. I. Supplementary material to the article "Salsa with coconut: challenges for Conservation Biology, food emphasis, ad Ethno-Ecology of Afro-Caribbean dance music ". Journal: Revista Ambiente e Sociedade.

miel (abeja) (honeybee)	<i>Apis mellifera</i> Linnaeus	Aidae
Ñame (yam)	<i>Dioscorea spp</i>	Dioscoreaceae
Naranja (orange)	<i>Citrus x sinensis</i>	Rutaceae
Noyeau (noyau)	<i>Elaeis oleifera</i> (Kunth)	Arecaceae
Orégano (origanum)	<i>Origanum vulgare</i> L.	Lamiaceae
Papa (potato)	<i>Solanum tuberosum</i> L.	Solanaceae
Papaya (papaya)	<i>Carica papaya</i> L.	Caricaceae
Pavo (turkey)	<i>Meleagris gallopavo</i> Linnaeus	Phasianidae
pepita de marañón (cashew)	<i>Anacardium occidentale</i> L.	Anacardiaceae
Pescado (fish)	different species	superclass Pisces
Pichón (pigeon)	<i>Columbina talpacoti</i> Temminck	Columbidae
Piña (pinneapple)	<i>Ananas comosus</i> L.	Bromeliaceae
Plátano (plantain)	<i>Musa balbisiana</i> Colla	Musaceae
Pollo (chicken)	<i>Gallus gallus domesticus</i> Linnaeus	Phasianidae
Quimbombó (ochra)	<i>Abelmoschus esculentus</i> (L).	Malvaceae
Sandía (watermelon)	<i>Citrullus lanatus</i> (Thunb.)	Cucurbitaceae

Garrido-Pérez, E. I. Supplementary material to the article "Salsa with coconut: challenges for Conservation Biology, food emphasis, ad Ethno-Ecology of Afro-Caribbean dance music ". Journal: Revista Ambiente e Sociedade.

Tamarindo (tamarind)	<i>Tamarindus indica</i> L.	Fabaceae
Tomate (tomato)	<i>Solanum lycopersicum</i>	Solanaceae
Toronja (Grapefruit)	<i>Citrus x paradisi</i> Macfad.	Rutaceae
Trigo (e.g. pan, cerveza) (Barley)	<i>Triticum spp.</i>	Poaceae
Uva (grape)	<i>Vitis vinifera</i> L.	Vitaceae
vaca (carne, lácteos, vísceras) (cow)	<i>Bos primigenius indicus</i> Linnaeus	Bovidae
Yuca (manihoc)	<i>Manihot esculenta</i> Crantz	Euphorbiaceae